



# GUILIN INTERNATIONAL WIRE & CABLE

Delivering with heart Serving with sincerity

Guilin International Wire&Cable Group Co., Ltd  
Add:No.41,Canluan road,High tech zone,Guilin,China  
Tel:0773-5802620  
Web:<http://www.guilincable.com>



穿山牌

TOP Chinese Cable Maker Multi Country Certified International Quality Safety & Green





穿山牌

Chinese top cable exporter

# Guilin International Wire & Cable

Green standard safe



## PRODUCT CATALOG

1. Aluminum stranded conductor  
Aluminum conductor steel-reinforced
2. Bare Copper Conductor
3. Copper conductor,PVC insulated Cable ( Fire Retartent ,  
Fire Resistent, LSHF, Anti-termite)  
Aluminum conductor,PVC insulated Cable ( Fire Retartent ,  
Fire Resistent, LSHF, Anti-termite)
4. Copper conductor,PVC insulated Screen Cable ( Fire  
Retartent , Fire Resistent, LSHF, Anti-termite)  
Aluminum conductor,PVC insulated Screen Cable ( Fire  
Retartent , Fire Resistent, LSHF, Anti-termite)
5. Rubber Sheath Flexible Cable
6. 8.7/10 kV Mine Cable
7. PVC Insulated Control Cable ( Fire Retartent , Fire  
Resistent, LSHF, Anti-termite, Double-Screen)
8. 1-35kV Extrude Insulation Power Cable ( Fire Retartent ,  
Fire Resistent, LSHF, Anti-termite,frequency cable )
9. Rated Voltages 10kV Aereo Cable
- 10.Frequency Coacial Cable
- 11.PVC insulated, Nylon jacked Cable
- 12.Sound wire
- 13.450/750v PVC insulated Elevator Cable
- 14.UL1015, UL 1007 Cable
- 15.Copper (Aluminum) Winding Wire
- 16.High -Temperature Special Cable( Silicon Rubber Cable,  
Fluoroplastics Cable , Control Cable)



# ENTERPRISE PROFILE

Guilin international RoHS Cable **UPCOMING!**

## Quality improve Green leads to Health

Australia Green Star certification  
Rohs certification

ordinary cable generally omits negative substance, such as Dioxin, Pb, during the producing, installing, discarding or burning. Most developed countries have forbidden using or importing cable without ROHS, more and more developing countries have limited the usage of ordinary as well. In Chinese Mega project such as skyscraper, railway station, subway, airport, hospital, library, agency also manipulate to use green cable.

Guilin Cable, TOP Chinese Cable Maker Multi Country Certified International Quality Safety & Green, deserve your trust.



Guilin International Wire and Cable Group Co., Ltd. is headquartered at 41st Canluan Road in the High-tech Zone of world famous scenic city Guilin. It was first founded in 1954, restructured in October 2005 and changed to its present name. In August 1992, the Corporation made investment in Australia and set up factories there; it is among the first 50 Chinese enterprises approved by the Ministry of Foreign Trade of making investment overseas.

The Group Corporation is the largest wire and cable manufacturer in Central-south China, the number one exporter in Guangxi in electromechanical products. At present, it owns six subsidiary companies in Guilin and Nanning, they are: Guilin Feilong Wire and Cable Co., Guilin Xianglong Wire and Cable Co., Guangxi Aoning Electric Wire & Cable Co., Guilin Chuanshan Wire and Cable Factory, Guilin Construction Printing Co., and Guangxi Koller Plastic Pipe Co.; its Australian branch company: ELECTRA CABLES ( AUST. ) and Huidi Cable Co., Ltd. (Hong Kong) make up the overseas marketing network. Thus, the Corporation is a national backbone enterprise in the trade, which has integrated research and development in wires and cables, their production and marketing; as well as engaging in printing, PE water pipes and cable conduit.

  
Senior Manager



■ Guilin International Wire & Cable Group Co.,Ltd.  
Headquarters



# BUILDING OF THE COMPANY

## Group Company Members

Electra Cables (Aust.) Pty. Limited

Guilin Feilong Wire and Cable Limited Company

Guilin Xianglong Wire and Cable Limited Company

Guangxi Aoning Wire and Cable Limited Company

Guilin Construction Printing Limited Company

Guilin Kelier Plastic Pipe Limited Company

## Approval Certification

ISO9001: 2000 Certificate

ISO14001: 2004 Environment Management Certificate

United States / Canada UL certification, of the

EU CE Certification

CB Certification

Netherlands KEMA Certification.

VDE Certification

NF Certification

SAA Certification

Australian Green Star Certificate

Sub company in Sydney



Aoning Factory



Warehouse Perth



Sub company in Melbourne




Warehouse Brisbane





Ranked precedent in nation of Electric wire and cable exportation  
First export enterprise of electromechanical products in Guangxi



Approve the Australian Green Star certification  
Approve the China cable ROHS certification



**Workshop**



# 营业执照

(副本) (1-1)

统一社会信用代码91450300198892429F

**名称** 桂林国际电线电缆集团有限责任公司  
**类型** 有限责任公司(中外合资)  
**住所** 桂林市驷鸾路41号  
**法定代表人** 周本飞  
**注册资本** 壹亿贰仟万人民币元整  
**成立日期** 1994年06月28日  
**营业期限** 1994年06月28日至2026年06月27日  
**经营范围** 各种电线电缆产品的生产、销售、开发；塑胶管材、管件生产销售及设计安装；电子产品的研发、生产、销售（无线电发射及地面卫星接收设备、医疗器械等涉及许可、审批的项目除外）。（依法须经批准的项目，经相关部门批准后方可开展经营活动。）



**提示**  
 1、每年1月1日至6月30日通过企业信用信息公示系统报送上一年度年度报告；  
 2、《企业信息公示暂行条例》第十条规定的企业有关信息形成之日起20个工作日内，通过企业信用信息公示系统向社会公示。

登记机关




2016年01月20日

企业信用信息公示系统网址：<http://www.gxqyxygs.gov.cn>


中华人民共和国国家工商行政管理总局监制



## Guilin International Wire and Cable Group Co., Ltd. Organization Chart



## Guilin International Wire and Cable Group Co., Ltd. Organization Chart







共 2 页 第 1 页


企业名称	桂林国际电线电缆集团有限责任公司	产品名称	电线电缆
证书编号	桂XK06-001-00009	有效期	2016年08月18日
发证日期	2015年06月05日		

1、架空绞线：(1)铝绞线，10~800；钢芯铝绞线，16~800。\*\*\*  
 2、额定电压1KV和3KV挤包绝缘电力电缆：\*\*\*  
 (1)额定电压1KV和3KV交联聚乙烯绝缘电力电缆，0.6/1KV，1.8/3KV，1~5芯，1.5~630mm<sup>2</sup>，铜、铝导体，金属丝铠装、金属带铠装，阻燃A类、无卤低烟阻燃A类；\*\*\*  
 (2)额定电压1KV和3KV聚氯乙烯绝缘电力电缆，0.6/1KV，1.8/3KV，1~5芯，1.5~630mm<sup>2</sup>，铜、铝导体，金属丝铠装、金属带铠装，阻燃A类；\*\*\*  
 3、额定电压6KV至35KV挤包绝缘电力电缆：\*\*\*  
 (1)额定电压6KV至30KV挤包绝缘电力电缆（聚氯乙烯绝缘、交联聚乙烯绝缘）：6~30KV，\*\*\*  
 1芯、3芯，10~630mm<sup>2</sup>，铜、铝导体，金属丝铠装、金属带铠装；\*\*\*  
 (2)额定电压35KV电力电缆（交联聚乙烯绝缘）：26/35KV，\*\*\*  
 1芯、3芯，50~630mm<sup>2</sup>，铜、铝导体，金属丝铠装、金属带铠装；\*\*\*  
 4、架空绝缘电缆：\*\*\*  
 (1)1KV交联聚乙烯绝缘架空绝缘电缆、1KV聚乙烯绝缘架空绝缘电缆、\*\*\*  
 1KV聚氯乙烯绝缘架空绝缘电缆：1~4芯、(3+K)芯，10~400mm<sup>2</sup>，铜、铝导体；\*\*\*  
 (2)10KV架空绝缘电缆，1~4芯、(3+K)芯，10~400mm<sup>2</sup>，铜、铝导体。\*\*\*  
 5、塑料绝缘控制电缆\*\*\*  
 (1)聚氯乙烯绝缘控制电缆，450/750V，2~37芯，0.5~10mm<sup>2</sup>，钢丝铠装、钢带铠装，\*\*\*  
 编织屏蔽，铜带屏蔽、铝塑复合带屏蔽，阻燃A类；\*\*\*

共 2 页 第 2 页

企业名称	桂林国际电线电缆集团有限责任公司	产品名称	电线电缆
证书编号	桂XK06-001-00009	有效期	2016年08月18日
发证日期	2015年06月05日		

(2) 交联聚乙烯绝缘控制电缆，450/750V，2~37芯，0.75~10mm<sup>2</sup>，钢丝铠装、钢带铠装，\*\*\*  
 编织屏蔽，铜带屏蔽、铝塑复合带屏蔽，阻燃A类、无卤低烟阻燃A类。\*\*\*



副本 1



中国人民银行征信中心制  
 THE PEOPLE'S BANK OF CHINA CREDIT REFERENCE CENTRE







Quality management system



Occupation Health Safety Management System





Environment management system



Measurement management system



**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) / SYSTEME CRI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) / SYSTEME DE CERTIFICATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE)**

**CB TEST CERTIFICATE**

**Product:** PVC insulated flexible cables and cords

**Name and address of the applicant:** ELECTRA CABLES(Aust.) Pty. Limited, 1/13 COOPER STREET, SMITHFIELD, N.S.W. 2164, P.O. BOX 2084, SMITHFIELD, N.S.W. 2164, Australia

**Name and address of the manufacturer:** Guilin International Wire & Cable Group Co., Ltd., 41# Canluan Road, Guilin, Guangxi, China

**Name and address of the factory:** Guilin International Electric Wire & Cable Group Co., Ltd., 41# Canluan Road, Guilin, Guangxi, China

**Regulations and principal characteristics:** 60227 IEC 52 (1103VV-F) 300/300 V (2~3) x (0.5~0.75)mm<sup>2</sup> Surface color: All colors

**Model / Type Ref. / Ref. De type:** 60227 IEC 52(1103VV-F)

**PUBLICATION EDITION:** IEC 60227-5 (Ed.3): 2011, appendix with additional testing according to EN 50525

**CHINA QUALITY CERTIFICATION CENTRE**  
Date: 2013-03-28  
Signature: Wang Kejiao

CB certification

**bsi.**  
By Royal Charter

**Certificate of Registration**

**QUALITY MANAGEMENT SYSTEM - ISO 9001:2008**

This is to certify that: **Electra Cables (Aust.) Pty Ltd**, 1/13 Cooper Street, Smithfield NSW 2164

Holds Certificate Number: **FS 520741**

and operates a Quality Management System which complies with the requirements of ISO 9001:2008 for the accompanying scope:

For the distribution and selling of electronic and electrical cables including data/instrumentation, automotive, security, building wire power and control cables.

For and on behalf of BSI: **Pietro Foschi - Strategic Delivery Director**

Originally registered: 31/07/1996 Latest Issue: 10/02/2015 Expiry Date: 25/03/2018

Page: 1 of 2

...making excellence a habit™

Australian certification

**CE EPRE** No.2008-C062-LVD

**DECLARATION OF CONFORMITY**

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

**Client:** Leader Friend Ltd  
**Address:** Room 7, 5/F, Kuan Hwa Industrial Building No.8, Wang Kwan Kowloon, Hong Kong  
**Manufacturer:** Guilin International Wire & Cable Group Co. Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Product:** PVC Insulated Flexible Cables  
**Model:** CK 10 600/600V 2.5mm<sup>2</sup>  
**Parameters:** 600/600V 2.5mm<sup>2</sup>  
**Test standards:** BS 6231:2006

This DOC is only valid in connection with the test report below:  
Report number: SCC091-406-10-LVD

Signature: **Hein** Title: **Engineer manager**

**OBC**  
Ośrodek Badań i Certyfikacji

**Świadectwo zgodności / Certificate of Conformity**

No. C003-139-116

**Kandydat:** Guilin International Wire & Cable Group Co., Ltd.  
**Producent:** Guilin International Wire & Cable Group Co., Ltd.  
**Kandydat Adres:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Produkt:** Polyvinyl chloride insulated cables of rated voltages up to and including 450/750V  
**Model:** 227 IEC 62 (RV) 450/750V 1.6-4 mm<sup>2</sup>  
**Parametry:** 227 IEC 62 (RV) 300/500V 0.5-2.5mm<sup>2</sup>

The essential requirements of the following directive(s) apply to the product:  
**- the Low Voltage Directive 73/23/EEC as amended by 93/68/EEC**

This certificate of conformity is based on an evaluation of a sample of the above mentioned product, technical report and manufacturer's data at the Issuer's facility. It is to certify that the tested sample is in conformity with all provisions of Council Directive 73/23/EEC as amended by 93/68/EEC.

Wydawany na / issued on: November 10, 2005

Signature: **Hein** Title: **Engineer manager**

**CE EPRE** No.2007-C221

**DECLARATION OF CONFORMITY**

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

**Client:** Guilin International Wire & Cable Group Co., Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Manufacturer:** Guilin International Wire & Cable Group Co., Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Product:** Flexible cables for SRS  
**Model:** TVBSP 450/750V (5-17)x(1.5-2.5)mm<sup>2</sup>  
**Data Tech:** 450/750V (5-17)x(1.5-2.5)mm<sup>2</sup>  
**Date of issue:** Sept. 05, 2007

Complies with the requirement set out the Council Directive 2006/95/EC (Low Voltage Directive), and 2004/108/EC (Electromagnetic Compatibility Directive).

Test standards: IEC 60227-5:2001, EN 61090-4:2006

This DOC is only valid in connection with the test report below:  
Report number: SCC071-406-10

Signature: **Hein** Title: **Engineer manager**

CE certification

**VDE Prüf- und Zertifizierungsinstitut**

**ZEICHENGENEHMIGUNG MARKS APPROVAL**

**Guilin International Electric Wire & Cable Group Co., Ltd.**  
No. 41 Canluan Road, 541004 GUILIN, Guangxi CHINA

ist berechtigt, für ihr Produkt / is authorized to use for their product

**Lichtbogenschweißleitung Arc welding cable**

die hier abgebildeten markenrechtlich geschützten Zeichen / for die ab Blatt 2 aufgeführten Typen zu benutzen / the legally protected Marks as shown below for the types referred to on page 2 ff.

Geprüft und zertifiziert nach / Tested and certified according to

DIN VDE 0282-4 (VDE 0282 Teil 4):2005-02; HD 22.6 52:1995 + A1:1999 + A2:2004

**VDE Prüf- und Zertifizierungsinstitut GmbH**  
VDE Testing and Certification Institute  
K. Prohaska  
Offenbach, 2012-01-30

VDE certification

**UL Underwriters Laboratories Inc.**

Northbrook Division  
333 Pfingsten Road  
Northbrook, IL 60062-2096  
USA  
www.ul.com  
Tel: 1 847 272 8800  
Fax: 1 847 272 8123  
Customer service: 1 877 854 3077

File: E246953 Vol. 1 Issued: 2004-05-19 Revised: 2005-09-24

**FOLLOW-UP SERVICE PROCEDURES (TYPE 1)**

**COMPONENT - APPLIANCE WIRING MATERIAL (AVLW, AVLVR)**

**Manufacturer:** GUILIN INTERNATIONAL ELECTRIC WIRE & CABLE GROUP CO. 7 HIGH NEW TECHNIQUE DEV ZONE 8 CANLUAN QIXING DISTRICT GUILIN GUANGXI CHINA

**Applicant:** SAME AS MANUFACTURER (261943-001)

**Recognized Company:** SAME AS MANUFACTURER (261943-001)

This Procedure authorizes the above Manufacturer to use the marking specified by Underwriters Laboratories Inc. only on products covered by this Procedure, in accordance with the applicable Follow-Up Service Agreement.

The prescribed Mark or Marking shall be used only at the above manufacturing location on such products which comply with this Procedure and any other applicable requirements.

The Procedure contains information for the use of the above named Manufacturer and representatives of Underwriters Laboratories Inc. and is not to be used for any other purpose. It is lent to the Manufacturer with the understanding that it is not to be copied, either wholly or in part, and that it will be returned to Underwriters Laboratories Inc. upon request.

This PROCEDURE, and any subsequent revisions, is the property of UNDERWRITERS LABORATORIES INC. and is not transferable.

**UNDERWRITERS LABORATORIES INC.**

**Sajeev Jesudas**  
Chief Operating Officer

An independent organization working for a safer world with integrity, precision and knowledge.

UL certification

**CE EPRE** No.2008-C067-2-LVD

**DECLARATION OF CONFORMITY**

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

**Client:** Leader Friend Ltd  
**Address:** Room 7, 5/F, Kuan Hwa Industrial Building, No.8, Wang Kwan Kowloon, Hong Kong  
**Manufacturer:** Guilin International Wire & Cable Group Co. Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Product:** 300/500V Copper conductor PVC insulated and sheathed flexible cables  
**Model:** C 300/500V (2-5) x (0.75-2.5)mm<sup>2</sup>  
**Parameters:** /  
**Test standards:** 60227 IEC 53

This DOC is only valid in connection with the test report below:  
Report number: SCC091-406-10-LVD

Signature: **Hein** Title: **Engineer manager**

**CE EPRE** No.2008-C067-1-LVD

**DECLARATION OF CONFORMITY**

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

**Client:** Guilin International Wire & Cable Group Co., Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Manufacturer:** Guilin International Wire & Cable Group Co., Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Product:** 300/500V Copper conductor PVC insulated and sheathed flexible cables  
**Model:** 227 IEC 53 (RV) 300/500V (2-5) x (0.75-2.5)mm<sup>2</sup>  
**Parameters:** /  
**Test standards:** 60227 IEC 53

This DOC is only valid in connection with the test report below:  
Report number: SCC091-406-10-LVD

Signature: **Hein** Title: **Engineer manager**

**CE EPRE** No.2008-C067-3-LVD

**DECLARATION OF CONFORMITY**

CE DECLARATION OF CONFORMITY is hereby responsibility of the Name Grantee/ Responsible Party and issued to certify the following equipment:

**Client:** ELECTRA - CABLES (AUST.) PTY. LTD  
**Address:** 21-23 PAVILL STREET GUILDFORD N.S.W 2161 P.O. Box 2084 Smithfield NSW 2164  
**Manufacturer:** Guilin International Wire & Cable Group Co., Ltd.  
**Address:** NO.41 Can Luan Road, Qixing District, Guilin, Guangxi, China  
**Product:** 300/500V Copper conductor PVC insulated and sheathed flexible cables  
**Model:** F 300/500V (2-5) x (0.75-2.5)mm<sup>2</sup>  
**Parameters:** /  
**Test standards:** 60227 IEC 53

This DOC is only valid in connection with the test report below:  
Report number: SCC091-406-10-LVD

Signature: **Hein** Title: **Engineer manager**





Australia SAA certification



France NF certification



ISO 14001:2004



ISO 9001:2008



OHSAS18001:2007



Chinese CQC certification









### Human Resource

Total staff 1670	
R&D	10%
Engineering	15%
Sales & Marketing	25%
Operator	44%
Management	6%

### Producing Capability

Aluminum stranded conductor	54000 t/year
Aluminum conductor steel-reinforced	
Building wire	1800000 km/year
Rubber Cable	144000 km/year
Control Cable	180000 km/year
Power Cable	90000 km/year
Computer Cable	18000 km/year
Frequency Coacial cable	54000 km/year
Telephone Communication Wire	540000 km/year
Aerial Cable	180000 km/year
0.6/1 kV XLPE Cable	36000 km/year
8.7/10(15) kV XLPE Cable	36000 km/year
26/35 kV XLPE Cable	18000 km/year

### Historical Highlights



Shenzhou spacecraft No.1- No.6 ground tracking system



Chang E Project Tracking Antenna



Yuanwang Ocean Survey Ship



State Grid Corporation of China Yongfu Branch



Guangxi Guilin Liangjiang Sihu



Kunming International Horticultural Exposition



# Historical Highlights



◀ Sydney International Airport



◀ Sydney Foodstuffs Company



◀ Brisbane International Airport



◀ Canberra Congress Building



Servo System of Yuanwang Ocean Survey Ship ▶



Australia Broadcasts ▶



▶ Melbourne Center Skyscraper



◀ Sydney Imperial Crown Gambling Establishment




◀ Sydney Olympic Game Project















## 1 Aluminum conductor steel-reinforced



## 2 Bare Copper wire




## 3 Copper conductor,PVC insulated Cable

( Fire Retarment , Fire Resistent, LSHF, Anti-termite)




## 4 Copper conductor,PVC insulated Screen Cable


( Fire Retarment , Fire Resistent, LSHF, Anti-termite)




## 5 Rubber Sheath Flexible Cable



## 6 8.7/10 kV Mine Cable





## 2) XLPE Insulation , PVC Outersheath Power Cable for Mine




## 7 PVC Insulated Control Cable

( Fire Retarment , Fire Resistent, LSHF, Anti-termite, Double-Screen)





## 8 1-35kV Extrude Insulation Power Cable


( Fire Retarment , Fire Resistent, LSHF, Anti-termite,frequency cable )



## 9 Rated Voltages 10kV Aro Cable




## 10 Frequency Coacial Cable




## 11 PVC insulated, Nylon jacked Cable



## 12 Sound wire




## 13 450/750v PVC insulated Elevator Cable



## 14 UL1015, UL 1007 Cable




## 15 Copper (Aluminum) Winding Wire




## 16 High -Temperature Special Cable

( Silicon Rubber Cable, Fluoroplastics Cable , Control Cable)



## Rated Voltage 0.6/1 kv Silicon Rubber insulation and Silicon Rubber Sheath Cable



# Quality Commitment and Service

Set up ISO9001 quality assurance system

Execute "free repairing, free returning, free exchanging" post sale policy

Commit to reply complain within 24 hours and provide satisfied solution

Visit customer randomly, receiving feedback for future improvement

# GUILIN INTERNATIONAL WIRE & CABLE

